


ENERGY




**NEW SOLUTION
ECO EDGE**





TABLE OF CONTENTS

| | |
|--|----|
| CD07 - 18x7 mm | 4 |
| CD07E - 18x7 mm ECO EDGE | 5 |
| CD12 - 18x12 mm ECO EDGE | 6 |
| CD18 - 18x18 mm ECO EDGE | 7 |
| CD13 - 18X13 MM | 8 |
| BD13 - 18X13 MM | 9 |
| CD20 - 18X20 MM | 10 |
| BD20 - 18X20 MM | 11 |
| CDH - 18X30 MM | 12 |
| BDH - 18X30 MM | 13 |
| CDH30 - 18X30 MM ECO EDGE | 14 |
| HERBA21 Ø 21 MM | 15 |
| CDT18 - 19x30 MM | 16 |
| BDT - 25x35 MM | 17 |
| CDV19 - 24X19 MM | 18 |
| BDV - 24X19 MM | 19 |
| CD3030 - 30X30 MM ECO EDGE | 20 |
| CDT3030 - 30x46 MM | 21 |
| TECHNICAL ALUMINUM LED PROFILES | |
| SFERA - 45X41 MM | 22 |
| SFERA-T - 60x41 MM | 23 |
| KOMBI - 60X80 MM | 24 |
| KOMBI-T - 78x80 MM | 25 |
| KOMBI HCL - 60X90 MM | 27 |



CD07 - 18X7 MM






| | |
|--------------------------------------|----------------------------------|
| ALU PROFILE CD07 anod. | 1,2,3,4,6m *available lengths |
| OPAL COVER | |
| 2x FULL PLASTIC END CAP | |
| 2x PLASTIC MOUNTING BRACKET + SCREWS | |

| LED PROFILE | | | | | |
|-------------|----------|------|------|------|------|
| CD07 | | | | | |
| Weight [g] | 95 | 190 | 285 | 380 | 570 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 5000 |
| Width [mm] | 18,0 | | | | |
| Height [mm] | 6,7 | | | | |
| Material | Aluminum | | | | |
| Finish | Anodised | | | | |



NEW







| | |
|--------------------------------------|---|
| ALU PROFILE CD07E | 1,2,3,4,6m *available lengths |
| OPAL COVER |  |
| FROSTED COVER |  |
| CLEAR COVER |  |
| 2x FULL PLASTIC END CAP |  |
| 2x METAL MOUNTING BRACKET |  |
| 2x PLASTIC MOUNTING BRACKET + SCREWS |  |

| LED PROFILE | | | | | |
|-------------|------|------|------|----------|------|
| CD07E | | | | | |
| Weight [g] | 95 | 190 | 295 | 380 | 570 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 6000 |
| Width [mm] | | | | 18,4 | |
| Height [mm] | | | | 5,4 | |
| Material | | | | Aluminum | |
| Finish | | | | Anodised | |




NEW







| | |
|---|---|
| ALU PROFILE CD12 | 1,2,3,4,6m *available lengths |
| OPAL COVER | |
| FROSTED COVER | |
| CLEAR COVER | |
| 2x FULL PLASTIC END CAP + SCREWS | |
| 2x PLASTIC MOUNTING BRACKET + SCREWS | |
| 2x METAL MOUNTING BRACKET | |
| 2x MOUNTING BRACKET HRF | |

| LED PROFILE | | | | | |
|--------------------|----------|------|------|------|------|
| CD12 | | | | | |
| Weight [g] | 148 | 296 | 444 | 592 | 888 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 6000 |
| Width [mm] | 18,4 | | | | |
| Height [mm] | 11,4 | | | | |
| Material | Aluminum | | | | |
| Finish | Anodised | | | | |








NEW









| | |
|--------------------------------------|----------------------------------|
| ALU PROFILE CD18 | 1,2,3,4,6m *available lengths |
| OPAL COVER | |
| FROSTED COVER | |
| CLEAR COVER | |
| 2x FULL PLASTIC END CAP + SCREWS | |
| 2x PLASTIC MOUNTING BRACKET + SCREWS | |
| 2x METAL MOUNTING BRACKET | |
| 2x MOUNTING BRACKET HRF | |





| LED PROFILE | | | | | |
|-------------|-----------|------|------|------|------|
| CD18 | | | | | |
| Weight [g] | 187 | 374 | 561 | 748 | 1122 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 6000 |
| Width [mm] | 18,4 | | | | |
| Height [mm] | 17,4 | | | | |
| Material | Aluminium | | | | |
| Finish | Anodised | | | | |







CD13 - 18X13 MM



| | |
|----------------------------------|---|
| ALU PROFILE CD13 | 1,2,3,4,6m *available lengths |
| OPAL COVER |  |
| FROSTED COVER |  |
| 2x FULL PLASTIC END CAP + SCREWS |  |
| 2x FULL ALU END CAP + SCREWS |  |
| 2x METAL MOUNTING BRACKET |  |
| 2x METAL MOUNTING BRACKET HRF |  |






| LED PROFILE | | | | | |
|-------------|----------|------|------|------|------|
| CD13 | | | | | |
| Weight [g] | 164 | 328 | 492 | 656 | 948 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 6000 |
| Width [mm] | 18,4 | | | | |
| Height [mm] | 13,0 | | | | |
| Material | Aluminum | | | | |
| Finish | Anodised | | | | |









| | |
|----------------------------------|---|
| ALU PROFILE CD13 | 1,2,3,4,6m *available lengths |
| OPAL COVER |  |
| FROSTED COVER |  |
| 2x FULL PLASTIC END CAP + SCREWS |  |
| 2x FULL ALU END CAP + SCREWS |  |
| 2x METAL MOUNTING BRACKET |  |
| 2x METAL MOUNTING BRACKET HRF |  |




| LED PROFILE | | | | | |
|-------------|----------|------|------|------|------|
| BD13 | | | | | |
| Weight [g] | 190 | 380 | 570 | 760 | 1140 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 6000 |
| Width [mm] | 18,4 | | | | |
| Height [mm] | 13,0 | | | | |
| Material | Aluminum | | | | |
| Finish | Anodised | | | | |







CD20 - 18X20 MM



| | |
|----------------------------------|---|
| ALU PROFILE CD20 | 1,2,3,4,6m *available lengths |
| OPAL COVER |  |
| FROSTED COVER |  |
| 2x FULL PLASTIC END CAP + SCREWS |  |
| 2x FULL ALU END CAP + SCREWS |  |
| 2x METAL MOUNTING BRACKET |  |
| 2x METAL MOUNTING BRACKET HRF |  |







| LED PROFILE | | | | | |
|-------------|----------|------|------|------|------|
| CD20 | | | | | |
| Weight [g] | 216 | 432 | 648 | 864 | 1296 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 6000 |
| Width [mm] | 18,4 | | | | |
| Height [mm] | 19,7 | | | | |
| Material | Aluminum | | | | |
| Finish | Anodised | | | | |



| | |
|----------------------------------|---|
| ALU PROFILE BD20 | 1,2,3,4,6m *available lengths |
| OPAL COVER |  |
| FROSTED COVER |  |
| 2x FULL PLASTIC END CAP + SCREWS |  |
| 2x FULL ALU END CAP + SCREWS |  |
| 2x METAL MOUNTING BRACKET |  |
| 2x METAL MOUNTING BRACKET HRF |  |




| LED PROFILE | | | | | |
|--------------------|----------|------|------|------|------|
| BD20 | | | | | |
| Weight [g] | 280 | 560 | 840 | 1120 | 1680 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 6000 |
| Width [mm] | 18,4 | | | | |
| Height [mm] | 19,7 | | | | |
| Material | Aluminum | | | | |
| Finish | Anodised | | | | |

CDH - 18X30 MM



| | |
|------------------------------|---|
| ALU PROFILE CDH | 1,2,3,4,6m *available lengths |
| OPAL COVER |  |
| FROSTED COVER |  |
| 2x FULL ALU END CAP + SCREWS |  |
| 2x 5cm ALU MOUNTING PROFILE |  |


| LED PROFILE | | | | | |
|-------------|----------|------|------|------|------|
| CDH | | | | | |
| Weight [g] | 276 | 552 | 828 | 1104 | 1656 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 5000 |
| Width [mm] | 18,4 | | | | |
| Height [mm] | 30,0 | | | | |
| Material | Aluminum | | | | |
| Finish | Anodised | | | | |








| | |
|-------------------------------------|---|
| ALU PROFILE BDH | 1,2,3,4,6m *available lengths |
| OPAL COVER |  |
| FROSTED COVER |  |
| 2x FULL ALU END CAP + SCREWS |  |
| 2x 5cm ALU MOUNTING PROFILE |  |





| LED PROFILE | | | | | |
|--------------------|----------|------|------|------|------|
| BDH | | | | | |
| Weight [g] | 412 | 824 | 1236 | 1648 | 2472 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 5000 |
| Width [mm] | 18,4 | | | | |
| Height [mm] | 30,0 | | | | |
| Material | Aluminum | | | | |
| Finish | Anodised | | | | |

CDH30 - 18X30 MM ECO EDGE






NEW









| | |
|------------------------------|---|
| LALU PROFILE CDH | 1,2,3,4,6m *available lengths |
| OPAL COVER |  |
| FROSTED COVER |  |
| CLEAR COVER |  |
| 2x FULL ALU END CAP + SCREWS |  |
| 2x 5cm ALU MOUNTING PROFILE |  |

| LED PROFILE | | | | | |
|-------------|----------|------|------|------|------|
| CDH30 | | | | | |
| Weight [g] | 311 | 622 | 933 | 1244 | 1866 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 6000 |
| Width [mm] | 18,4 | | | | |
| Height [mm] | 28,9 | | | | |
| Material | Aluminum | | | | |
| Finish | Anodised | | | | |















HORTICULTURE SOLUTION









| | |
|---------------------------|---|
| ALU PROFILE HERBA21 | 1,2,3,4,6m *available lengths |
| OPAL COVER |  |
| CLEAR COVER |  |
| 2x FULL PLASTIC END CAP |  |
| 2x METAL MOUNTING BRACKET |  |







| LED PROFILE | | | | | |
|-------------|----------|------|------|------|------|
| HERBA21 | | | | | |
| Weight [g] | 223 | 446 | 669 | 892 | 1338 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 6000 |
| Width [mm] | 20,7 | | | | |
| Height [mm] | 13,5 | | | | |
| Material | Aluminum | | | | |
| Finish | Anodised | | | | |



| | |
|-------------------------------|---|
| ALU PROFILE CDT18 | 1,2,3,4,6m *available lengths |
| OPAL COVER |  |
| FROSTED COVER |  |
| CLEAR COVER |  |
| 1x FULL ALU END CAP + SCREWS |  |
| MOUNTING BRACKET WITH SPRING |  |
| 2x METAL MOUNTING BRACKET |  |
| 2x METAL MOUNTING BRACKET HRF |  |






| LED PROFILE | | | | | |
|-------------|-------------|------|------|------|------|
| CDT18 | 1000 | 2000 | 3000 | 4000 | 6000 |
| Weight [g] | 148 | 296 | 444 | 592 | 888 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 6000 |
| Width [mm] | 30,4 / 18,4 | | | | |
| Height [mm] | 19,2 | | | | |
| Material | Aluminum | | | | |
| Finish | Anodised | | | | |







| | |
|-------------------------------|---|
| ALU PROFILE BDT | 1,2,3,4,6m *available lengths |
| OPAL COVER |  |
| FROSTED COVER |  |
| 1x FULL ALU END CAP + SCREWS |  |
| MOUNTING BRACKET WITH SPRING |  |
| 2x METAL MOUNTING BRACKET |  |
| 2x METAL MOUNTING BRACKET HRF |  |



| LED PROFILE | | | | | |
|-------------|-------------|------|------|------|------|
| BDT | | | | | |
| Weight [g] | 280 | 560 | 840 | 1120 | 1680 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 6000 |
| Width [mm] | 35.0 / 18.4 | | | | |
| Height [mm] | 25.0 | | | | |
| Material | Aluminum | | | | |
| Finish | Anodised | | | | |



CDV19 - 24X19 MM



| | |
|--------------------------------------|---|
| ALU PROFILE CDV19 | 1,2,3,4,6m *available lengths |
| OPAL COVER |  |
| FROSTED COVER |  |
| 2x FULL ALU END CAP + SCREWS |  |
| 2x PLASTIC MOUNTING BRACKET + SCREWS |  |


| LED PROFILE | | | | | |
|-------------|----------|------|------|------|------|
| CDV19 | | | | | |
| Weight [g] | 239 | 478 | 717 | 956 | 1434 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 6000 |
| Width [mm] | 23,71 | | | | |
| Height [mm] | 16,66 | | | | |
| Material | Aluminum | | | | |
| Finish | Anodised | | | | |








| | |
|--------------------------------------|---|
| ALU PROFILE CDV19 | 1,2,3,4,6m *available lengths |
| OPAL COVER |  |
| FROSTED COVER |  |
| 2x FULL ALU END CAP + SCREWS |  |
| 2x PLASTIC MOUNTING BRACKET + SCREWS |  |

| LED PROFILE | | | | | |
|-------------|----------|------|------|------|------|
| BDV | | | | | |
| Weight [g] | 400 | 800 | 1200 | 1600 | 2400 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 6000 |
| Width [mm] | 23,71 | | | | |
| Height [mm] | 16,66 | | | | |
| Material | Aluminum | | | | |
| Finish | Anodised | | | | |

CD3030 - 30X30 MM ECO EDGE







NEW





| | |
|---|----------------------------------|
| ALU PROFILE CD3030 | 1,2,3,4,6m *available lengths |
| OPAL COVER | |
| 2x FULL PLASTIC END CAP + SCREWS | |
| 2x FULL ALU END CAP + SCREWS | |
| 2x METAL MOUNTING BRACKET HRF | |

| LED PROFILE | | | | | |
|--------------------|----------|------|------|------|------|
| CD3030 | | | | | |
| Weight [g] | 514 | 1028 | 1542 | 2056 | 3084 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 6000 |
| Width [mm] | 30,0 | | | | |
| Height [mm] | 29,4 | | | | |
| Material | Aluminum | | | | |
| Finish | Anodised | | | | |






| | |
|----------------------------------|----------------------------------|
| ALU PROFILE CDT3030 | 1,2,3,4,6m *available lengths |
| OPAL COVER | |
| 2x FULL PLASTIC END CAP + SCREWS | |
| 2x FULL ALU END CAP + SCREWS | |
| MOUNTING BRACKET WITH SPRING | |
| 2x METAL MOUNTING BRACKET HRF | |

| LED PROFILE | | | | | |
|-------------|-------------|------|------|------|------|
| CDT3030 | | | | | |
| Weight [g] | 559 | 1118 | 1677 | 2236 | 3354 |
| Length [mm] | 1000 | 2000 | 3000 | 4000 | 6000 |
| Width [mm] | 46.0 / 30.0 | | | | |
| Height [mm] | 30 | | | | |
| Material | Aluminum | | | | |
| Finish | Anodised | | | | |






COMPATIBLE WITH LEDIL FLORENCE OPTIC




| | |
|-------------------------------|---|
| ALU PROFILE SFERA | 4.7 m |
| HOLDER PROFILE |  |
| ALU FULL END CAP + SCREWS |  |
| STEEL CLIP FOR FIXING MODULES |  |

| SFERA | LED PROFILE | |
|-------------|---------------|--------------|
| | SFERA PROFILE | SFERA HOLDER |
| Weight [g] | 3901 | 2068 |
| Length [mm] | | 4700 |
| Width [mm] | | 45 |
| Height [mm] | 41,4 | 15,5 |
| Material | | Aluminum |
| Finish | | Anodised |



SFERA-T - 60X41 MM




**COMPATIBLE WITH LEDIL
LINNER OPTIC**

| | |
|-------------------------------|---|
| ALU PROFILE SFERA | 4.7 m |
| HOLDER PROFILE |  |
| ALU FULL END CAP + SCREWS |  |
| STEEL CLIP FOR FIXING MODULES |  |



| | LED PROFILE | |
|-------------|-----------------|--------------|
| | SFERA T PROFILE | SFERA HOLDER |
| Weight [g] | 3948 | 2068 |
| Length [mm] | | 4700 |
| Width [mm] | 60 / 45 | 45 |
| Height [mm] | 41,4 | 15,5 |
| Material | Aluminum | |
| Finish | Anodised | |







| | |
|--------------------------------|------|
| ALU PROFILE KOMBI | 4.7m |
| INSERT PROFILE | |
| REFLECTOR PROFILE WHITE | |
| OPAL COVER | |
| CLEAR COVER | |
| ALU END CAP + SCREWS | |
| ALU END CAP WITHOUT SCREWS | |
| MOUNTING FOR SUSPENDED LINK | |
| SUSPEDED LINK "Y" WITH LINK 2m | |
| STEEL CLIP FOR FIXING MODULES | |



| LED PROFILE | | | |
|-------------|---------------|----------------|-----------------|
| KOMBI | KOMBI PROFILE | INSERT PROFILE | KOMBI REFLECTOR |
| Weight [g] | 6251 | 2632 | 329 |
| Length [mm] | | 4700 | |
| Width [mm] | 60 | 57,3 | 11,9 |
| Height [mm] | 80 | 13,1 | 224 |
| Material | | Aluminum | |
| Finish | | Anodised | |



| | |
|---|------|
| ALU PROFILE KOMBI-T | 4.7m |
| INSERT PROFILE | |
| REFLECTOR PROFILE WHITE | |
| OPAL COVER | |
| CLEAR COVER | |
| ALU END CAP + SCREWS | |
| MOUNTING BRACKET FOR KOMBI T | |
| SUPPORT TO MOUNTING BRACKET ROTATE TO RECESSE | |
| MOUNTING FOR SUSPENDED LINK | |
| SUSPEDED LINK "Y" WITH LINK 2m | |
| STEEL CLIP FOR FIXING MODULES | |





LED PROFILE



| KOMBI T | KOMBI T PROFILE | INSERT PROFILE | KOMBI REFLECTOR |
|-------------|-----------------|----------------|-----------------|
| Weight [g] | 6721 | 2632 | 329 |
| Length [mm] | | 4700 | |
| Width [mm] | 78 / 60 | 57,3 | 11,9 |
| Height [mm] | 80 | 13,1 | 224 |
| Material | | Aluminum | |
| Finish | | Anodised | |

Musterkoffer Profile





| | |
|--------------------------------|------|
| ALU PROFILE KOMBI-HCL | 4.7m |
| INSERT PROFILE | |
| REFLECTOR PROFILE WHITE | |
| OPAL COVER | |
| CLEAR COVER | |
| CLEAR NARROW COVER | |
| ALU END CAP + SCREWS | |
| ALU END CAP WITHOUT SCREWS | |
| MOUNTING FOR SUSPENDED LINK | |
| SUSPEDED LINK «Y» WITH LINK 2m | |
| STEEL CLIP FOR FIXING MODULES | |



LED PROFILE

| KOMBI HCL | KOMBI HCL PROFILE | INSERT PROFILE | KOMBI REFLECTOR |
|-------------|-------------------|----------------|-----------------|
| Weight [g] | 6251 | 2632 | 329 |
| Length [mm] | | 4700 | |
| Width [mm] | 60 | 57,3 | 11,9 |
| Height [mm] | 90 | 13,1 | 22,4 |
| Material | | Aluminum | |
| Finish | | Anodised | |